



## CERTIFIKAT O TIPSKEM PRESKUSU

### TYPE EXAMINATION CERTIFICATE



#### STISLJIV CEVNI SISTEM ZA OGREVALNE IN SANITARNE INSTALACIJE

#### PRESSED PIPE FITTINGS FOR HEATING AND SANITARY INSTALATIONS

št. certifikata: 8715-1/14  
(Certificate no)

velja do: 01. 08. 2017  
(Valid until)

Naročnik/dobavitelj :  
(Customer/supplier)

**Fra.Bo S.p.A.**  
Via Cadorna 30 – 25027 Quinzano d'Oglio (BS) - Italia

Podatki o izdelku/sistemu:  
(Product description)

**FRABOPRESS H2O SECURFRABO**

**FRABOPRESS H2O BIG SIZE**

- zunanji premer cevi:  
(external pipe diameters)

12; 15 ; 18 ; 22 ; 28 ; 35 ; 42 ; 54 mm

76,1 ; 88,9 ; 108 mm

- material:  
(fitting material)

copper CW024A, red brass

copper CW024A, red brass

- tesnilo (O-ring):  
(tight material)

EPDM - black ; FKM - green

EPDM - black

- maksimalni pogoji obratovanja: Tlak in temperatura po tehničnih podatkih proizvajalca.  
(Maximal operating conditions) (Pressure and temperature after the manufacturer's technical data.)

Preskušeni vzorci ustrezajo zahtevam standarda(ov) ali normativnega(ih) dokumenta(ov):  
(The samples tested fulfill the requirements of the following standard(s) or regulation(s))

- DVGW W 534 (01.05.2004): Rohrverbinder und Rohrverbindungen in der Trinkwasser-Installation
- DVGW GW 392: Nahtlosgezogene Rohre aus Kupfer für Gas und Trinkwasser

Certifikat je izdan na osnovi poročila o preizkusu: 45138/14 (E), Instituta za varilstvo d.o.o., z dne 04.09.2014.  
(The certificate based on Test report no.: 45138/14 (E) of Welding Institute, of 4<sup>th</sup> September 2014.)

Kraj in datum: Ljubljana, 01.09.2014  
(Place and date)

Direktor:  
(Director)

Dr.-Ing. Miro Uran, univ. dipl. inž.



**INSTITUT ZA VARILSTVO**  
Welding Institute