



## CERTIFIKAT O TIPSKEM PRESKUSU

### TYPE EXAMINATION CERTIFICATE



#### STISLJIV CEVNI SISTEM ZA OGREVALNE IN SANITARNE INSTALACIJE PRESSED PIPE FITTINGS FOR HEATING AND SANITARY INSTALATIONS

št. certifikata: 10108-3/17  
(Certificate no)

velja do: 01. 10. 2020  
(Valid until)

Naročnik/dobavitelj :  
(Customer/supplier)

**Fra.Bo S.p.A.**  
Via Cadorna 30 – 25027 Quinzano d'Oglio (BS) - Italia

Podatki o izdelku/sistemu:  
(Product description)

**FRABOPRESS 316 SECURFRABO**

**FRABOPRESS 316 BIG SIZE**

- zunanji premer cevi:  
(external pipe diameters)

12 ; 15 ; 18 ; 22 ; 28 ; 35 ; 42 ; 54 mm

76,1 ; 88,9 ; 108 mm

- material:  
(fitting material)

X2 Cr Ni Mo 17 12 2 (W.Nr.: 1.4404)

X2 Cr Ni Mo 17 12 2 (W.Nr.: 1.4404)

- tesnilo (O-ring):  
(tight material)

EPDM - black ; FKM - green

EPDM - black

- maksimalni pogoji obratovanja: Tlak in temperatura po tehničnih podatkih proizvajalca.  
(Maximal operating conditions) (Pressure and temperature after the manufacturer's technical data.)

Preskušeni vzorci ustrezajo zahtevam standarda(ov) ali normativnega(ih) dokumenta(ov):  
(The samples tested fulfill the requirements of the following standard(s) or regulation(s))

- DVGW W 270 (2007-11): DVGW W 534 (01.05.2004): Rohrverbinder und rohverbindingen
- DVGW GW 392 (2015-04): Nahtlosgezogene Rohre aus Kupfer für Gas und Trinkwasser

Certifikat je izdan na osnovi poročila o preizkusu: 68043/17 (E), Instituta za varilstvo d.o.o., z dne 26.10.2017.  
(The certificate based on Test report no.: 68043/17 (E) of Welding Institute, of 26<sup>th</sup> October 2017.)

Kraj in datum: Ljubljana, 26.10.2017  
(Place and date)

Direktor:  
(Director)

Dr.-Ing. Miro Uran, univ. dipl. inž.

